

# Bordetella Bronchiseptica Bacterin

Cellular Antigen Extract

## Bronchicine™<sub>CAe</sub>

Bronchicine™<sub>CAe</sub> is a nonadjuvanted antigenic extract prepared from the cells of *Bordetella bronchiseptica* recommended for use as an aid in the control of Canine Infectious Tracheobronchitis (Kennel Cough) caused by the organism represented.

The effect of persisting *B. bronchiseptica* maternal antibody on the immune response in puppies to this bacterin has not been determined. Puppies from bitches immune to the organism usually have low antibody titers that are dissipated by 4-6 weeks of age. Although kennel cough is considered a disease of complex etiology, it can be reproduced by challenge with *B. bronchiseptica* alone. A close association and/or confinement of dogs facilitates spread of the disease syndrome. Antibiotic therapy has been shown to be generally unsuccessful in reducing or eliminating *B. bronchiseptica* infection in dogs.

For inquiries concerning this product call 1-800-441-7480.

**Directions:** Shake well. Administer 1 mL subcutaneously to healthy dogs at least 8 weeks of age. For initial vaccination, a second dose is required 2-4 weeks later. This product should be administered by subcutaneous injection only. Annual revaccination with a single 1 mL dose is recommended.

**Precaution:** Do not freeze. Use entire contents when first opened. Care should be taken to avoid microbial contamination of the product. In case of anaphylactoid reactions, epinephrine should be administered immediately. Transient local irritation at the site of injection, though rare, may occur subsequent to use of this product. This product contains thimerosal (merthiolate) as a preservative.

™Trademark of Biocor Animal Health Inc.

**Code 61411B**  
BAH7025-1001

25-One (1mL) Dose Vials  
For Use in Dogs Only  
Store at 35°F-45°F (2°C-7°C)

Serial No.  
Exp. Date

**Biocor Animal Health Inc.**  
Omaha, NE 68134 U.S.A.  
U.S. Veterinary License No. 462

# **Bordetella Bronchiseptica Bacterin**

Cellular Antigen Extract

10 Doses – 10 mL

Store at 35°F-45°F (2°C-7°C)

**Bronchicine™<sub>CAe</sub>**



**Directions:** Shake well. Administer 1 mL to healthy dogs at least 8 weeks of age. For initial vaccination, a second dose is required 2-4 weeks later. Administer by subcutaneous injection only. Annual revaccination with a single 1 mL dose is recommended.

**Precaution:** Do not freeze. Use entire contents when first opened. In case of anaphylactoid reactions, epinephrine should be administered immediately. Transient local irritation at the site of injection, though rare, may occur subsequent to use of this product. Contains thimerosal (merthiolate) as a preservative. For product inquiries call 1-800-441-7480.

For Use in Dogs Only

™Trademark of Biocor Animal Health Inc.

**Code 61454B**  
BAH708-1001

Serial No.  
Exp. Date

**Biocor Animal Health Inc.**  
Omaha, NE 68134 U.S.A.  
U.S. Veterinary License No. 462

**Bordetella  
Bronchiseptica  
Bacterin**

Cellular Antigen Extract

For Use in Dogs Only  
1 Dose – 1 mL

Inject 1 mL subcutaneously to dogs at least 8 weeks old. Store at 35°F-45°F (2°C-7°C).  
For complete directions, see carton.

*B. broncheseptica*

P701-102

Inj. Site \_\_\_\_\_

Peel Here

Ser.:

Exp.:

**Biocor Animal Health Inc.**  
Omaha, NE 68134 U.S.A.  
U.S. Veterinary License No. 462